# THE 28728/P VIRTUES of HONEY,

HILL; Set Ohn

1 1

Preventing many of the worft

DISORDERS;

AND

In the certain CURE of several others; PARTICULARLY

The GRAVEL, ASTHMAS, COUGHS, HOARSENESS, and a tough Morning PHLEGM:

WITH

A particular Direction of the Manner of taking it for the CURE of CONSUMPTIONS.

TO WHICH IS PREFIXED

An Account of the Origin and Nature of HONEY; its various Kinds, English and Foreign, and the Marks which distinguish them; also a Method to obtain Honey as fine in England as from any Part of the World; and the best ways of taking it.

WITH ·


The Genuine Receipt for the SYRUP of CAPIL-LAIRE as made in Italy; and for the celebrated ARISTÆAN CONFECTION; also for making the Spirit and Effence of HONEY, &c. &c.

#### LONDON:

TRACTOR AND THE STORE STORE AND THE STORE STORE STORES

PRINTED FOR J. MURRAY, NO. 32, FLEET-STREET, OPPOSITE ST. DUNSTAN'S-CHURCH, MDCCLXXXIV.

Half - tille



### [3]

#### THE

## VIRTUES of HONEY,

#### I.N

Preventing many of the worst Disorders, &c.

### INTRODUCTION.

HE flight regard at this time paid to the medicinal virtues of Honey, is an inftance of the neglect men fhew to common objects, whatever be their value, acting in contempt, as it were, of the immediate hand of Providence, which has in general made those things most frequent which have the greatest uses, and for that very reason.

WE

WE feek from the remoteft part of the world, medicines of harfh and violent operation, for our relief in feveral diforders, under which we fhould never fuffer, if we would ufe what the Bee collects for us at our doors; and as in many others, which tho' no care could make us efcape, the fame innocent and pleafant juice would cure.

[4]

For the patient tortured with the gravel and ftone, when common medicines fail of their effect, we feek from the Brafils, the Paeira Brava; or, actuated by defpair rather than hope, fwallow the poifon of the Spanifh Cantharides : drugs which while they promife relief tear to pieces the whole conftitution. All the while we neglect what is fufficiently known to thofe who practife phyfick, that he who will take a fpoonful of Honey before his breakfaft, will never be fubject to that complaint. Africa is ranranfacked for its naufeous Ammoniacum to give breath in Afthmas, and in extreme cafes the body muft be flead by blifters for relief; when this pleafant and fafe medicine would anfwer all the purpofes of the firft, and fave all the torments of the latter application.

THERE was a time when Honey was more us'd, becaufe the demand rofe from necessity. Before the knowledge of fugar, this healthful fweet fupplied its place; and there are to this time countries where it has the fame prerogative : Let us enquire what are the effects of this upon the peoples healths. Diforders of the lungs and breaft are scarce known : Confumptions never heard of; no obftructions of the vifcera are feen; and of the long lift of chronic diseases scarce one or two known. The antient Gauls gave a great instance of the first B 2 of

[ 5 ]

of thefe truths, from neceffity; and the modern Swifs of the other, by choice, thro' feveral of their Cantons. It is obfervable that a jaundice was never feen in those countries where the use of Honey is at this time universal; and scarce a dropsy.

TRUTHS fought from early time and remote countries may perhaps be lefs felt than those of smaller force which arife at home. There is no part of England where the use of Honey is fo general as in the places just nam'd; but there are families who know its value, and amongst those we never hear of any one of those difeases.

CHAP.

### [7]

#### CHAP, I.

#### The Nature and Origin of Honey.

**I**ONEY, tho' we owe it to the Bee, is originally a vegetable substance. All plants contain this sweet juice; in some it is discharged pure and unmix'd into the bottoms of their flowers; in others it comes tainted with their common juices, and is by that mixture rendered difagreeable, or hurtful. The Bees are our providers, and they are excellent purveyors: they neglect those flowers wherein the Honey is debafed by a mixture of other juices : and gather it only from fuch as hold it pure and unalter'd. The quantity each flower affords is fo very finall, that human industry never could collect it; but these little insects are indefatigable : their numbers make the general ftore confiderable, and we are supplied by B 3 them

them for all our occafions. The Bee makes no change in the nature of the Honey: fuch as fhe receives from the flower, fuch fhe delivers to the Hive; and the thing is the fame in all refpects, whether we fuck it from the bottom of the flower, or take it out of the body of the Bee, or from the cell of the comb. What we find in the fhops is often very different from this, for many tricks are play'd with it; but in thefe feveral natural conditions of it, there is no difference.

THE antients thought Honey dropt from the fkies, and accounted it the immediate gift of heaven; but later obfervations, and a better knowledge of nature, has taught us now, that it is produced within the flowers where it is found; and that there is no herb but yields it. The leaves of trees afford a fweet juice at fome times; but this is not pure Honey: Bees will collect

•

lect it in neceffity, but it hurts all the reft. This is one occafion of the difference between the Honey of one year and of another, collected in the fame place: and there are feveral other caufes which render one parcel of it finer than the reft. According to thefe we diftinguifh it into feveral kinds. With the differences of thefe it is proper all fhould be acquainted, who intend to have the benefit of its virtues.

#### CHAP. II.

#### Of the several Kinds of Honey.

N the ufual way of fpeaking we diftinguifh Honey only into two kinds: which we call virgin, and common Honey. The difference between thefe is, only what arifes from the manner of getting them from the comb. The virgin Honey being fuch as runs out of itfelf when it is fet in a pofition for that purpofe; and the common common Honey fuch as is preffed out of the combs with violence. This alfo is of two kinds, fome having been preffed without heat and fome with : of thefe the former is by far the better ; but both are much inferior to the pure virgin kind.

THIS is all the difference in English Honey they must expect to find who feek it in shops; but there are feveral other diffinctions known to those who keep Bees, according to which the Honey has more or lefs value: and befide what we have thus of our own produce, there is very fine Honey of different kinds brought from abroad. In general the Honey which is commonly fold is fo bad, partly from a difhonest mixture of flour and other ingredients, and partly from the ill manner wherein it is procured from the combs, that it would be adviseable for every one who depends upon its viitues

virtues, either to fettle a correspondence with some honest person who keeps Bees, or to purchase that which is brought from abroad.

#### CHAP. III.

# Of English Honey, and the best Kind of it for Medicinal Use.

HERE are three feafons of the year in which those who keep Bees in England may take the Honey: thefe are the months of May, July, and October. The Honey taken from the same stand of hives, at these three times of the year, will be found extremely different; and it should be kept separate under the names of spring Honey, and that of fummer, and autumn. Of these three the spring Honey is vaftly beft, and fhould be the only kind used as a medicine. The Bees are in their full vigour when they collect this, and the first flowers of

of the year from which they gather it, are in their glory : the fummer Honey is the next in value ; that of autumn is poor and will foon fpoil in keeping.

THE fpring Honey fhould be obtained freely from the comb : not by means of preffing, much lefs of heat. The combs fhould be taken out of the hive and broken into four or five pieces, thefe fhould be fet flanting in a cool place for the Honey to run out, and as much as will run freely muft be kept in the pan into which it was firft received ; tying it carefully over, and fetting it in a cool quiet place.

THIS Honey will be of the thickness of a fyrup, no more; and of a very pale amber colour, quite clear, of a fragrant smell, and in taste of a delicate sweetness, with a sharp or biting quality upon the tongue. As it stands quiet quiet there will rife a kind of skin upon the furface; and this will remain upon it and preferve it. This Honey will never cand nor grow thicker than at first : and this is the true and proper Honey for medicinal use in England. It requires no purification, as common Honey does; and it will always fit eafy on the ftomach. To those who live in the country nothing can be fo proper or fo eafy as to take the care of obtaining this upon themfelves; for Bees may be kept with little trouble, and without expence. Those who have not this advantage, must see that it be done carefully.

THIS will be using Honey as the Bees themselves use it; for it is always covered with this kind of cruft or skin in their cells : and they will never feed upon it if it be candied. To eat Honey thus collected is the fame

[ 14 ]

fame thing as to fuck it from the flowers themfelves, in which the Bee first found it. The Honey of the two feasons following is inferior in its own nature ; and if taken as it comes from the former, is always loaded with wax from the heat that has been given the combs, even if it be free from other mixtures.

THOSE who will take due care to get the fpring Honey of our country in this perfection, need feek no farther for its full virtues : but if any be under a neceffity of buying it in the fhops, it will be most adviseable to purchase the foreign Honey, which has some natural superiority over ours, from the greater fragrance and virtue of the flowers in those places where it is collected ; and it is always procured from the comb in the most delicate manner.

СНАР.

### [ 15 ]

#### CHAP. IV.

Of Foreign Honey.

W E have Honey from many parts of the world imported into England, and all of it is called, from the name of the place whence the best is supposed to come, Narbonne Honey: this is to be had at the Italian warehouses, and of the German apothecaries in London. It is always thin, and is of a paler colour than the English; and of a more fragrant smell. This fine scent, however, is of a-peculiar kind : it is the flavour of the flowers rather than of the Honey : as no Honey in that refpect exceeds the pure fpring Honey of England. The abundance of aromatic flowers in the South of France and Italy give this flavour to the Honey; and enrich it also in some degree with their virtues,

### [ 16 ]

virtues, fo as to make it more effectual, in fome cafes, than the very best of our own.

WE have this foreign Honey principally from three places, the South of France, Italy, and Swifferland; and the three kinds may be thus diffinguifhed.

THE French, or true Narbonne Honey, is of a perfect white colour; never at all candied; fomewhat thicker than a fyrup; and of a fmell which perfectly refembles a mixture of thyme and lavender. This is the fineft of all.

THE Italian Honey is thinner than this, or than the pure fpring Honey of England : the colour inclines to amber, it is apt to cand in fmall roundifh lumps, and its fmell is fragrant, but wants the brifknefs of the Narbonne flavour.

THE

THE Swifs Honey is thicker than either of thefe, but quite white; it has fcarce any thing of that aromatic fragrance, which diftinguishes the Narbonne and Italian kinds, but in the pure and perfect scent of Honey it exceeds them all; as it does also, in certain cases, for its virtues. These we shall consider separately in their place.

It is not to be fuppofed that all the Honey of these feveral kingdoms anfwers exactly to those characters; for there is better and worse there, as with us, according to the seafons and management: but what is perfect in its kind from either of those places, will be readily known by this description.

As Honey is excellent against many difeases, and these several kinds, from their different nature, are suited in a peculiar manner to one or othe C 2 of of those diforders, it appeared neceffary to give this general account of their characters and differences before we proceeded to their feveral uses, that the perfon who wants their affistance in any case, may know what is exactly meant by the name of each peculiar kind.

#### CHAP. V.

### Of the Virtues of Honey against a tough Phlegm.

MANY perfons, efpecially as they advance into years, are troubled with a tough phlegm in their throat in a morning, which makes their breathing difficult, occafions them to fpeak hoarfe and with difficulty, and brings on a continual hawking and coughing, 'till they have got it up. This is one of those complaints which does not amount to the name of a difease, and for which few confult fult a phyfician : yet it is a very troublefome and difagreeable one; painful to the perfon and giving difguft to others.

THE complaint fhould not be flighted, for it will encreafe; fometimes it terminates in an afthma; and fome have been carried off with an immediate death, by the confequences of it : for by the ftraining to bring it up, they have broke a veffel, and bled to death upon the inftant. If it were afked what medicine would be a cure for this infirmity, and a fafe preventer of its return, the queftion would be difficultly anfwered; but in the place of fuch a medicine, if the perfon will take Honey, he may be fure both of a prefent relief, and a lafting cure.

THE best kind of Honey for this diforder is that of our own produce, but it is necessary to have it in per- $C_3$  fection.

#### [ 20 ]

fection. The fine English spring Honey is the proper kind; and there is no need of the troublesome ceremony of taking it mixed up as a medicine. It may be eaten in its own form, and will no way do the bufinefs fo well. Let the perfon who is troubled with this complaint fet a pot of Honey by his bed fide, and the last thing at night take a large spoonful of it into his mouth, letting it go gently down. As foon as he wakes in the morning let him take another spoonful in the same manner, He will find eafe the very first day, and more and more every day afterwards, till he is perfectly recovered.

AFTER that, he need not confine himfelf in a ftrict way to the taking it at any regular time, or in any certain quantity; but it will be advifeable now and then to eat a little of it, to prevent a tendency in the fame humour mour to bring on a relapfe : and if at any time after taking cold, or from other accidents, he perceives the complaint coming on again, he fhould conftantly take the fame quantity night and morning for fome time.

It is very effential in this cafe to have pure and fine Honey: and if our own fpring Honey cannot be got, the Swifs Honey which is fold under the general name of Narbonne, but may be diftinguifhed by the marks before given, fhould be ufed in its place. Common Honey, fuch as is fold at grocers, may encreafe the complaint which it is directed to relieve.

THERE is no argument like fact, and one inftance may prove this better than a volume of reafonings. The laft fpring a merchant in the city, who was troubled with this complaint, took Honey by my advice in the manner ner just directed. He had been cautioned to get what was good, but without any particular directions on that head, as I had not then feen the extreme difference between one kind of Honey and another. He found his complaint encrease, but he had the refolution to continue the medicine, 'till one morning he was near choked. He constantly faid, that fince his taking the Honey, he had always the tafte of raw flour in his throat in the morning; and he was not mistaken, for on examining the Honey he had taken all this time, we found flour mixed among it. This was done fo clumfily, that on spreading a little of the Honey thin upon a piece of blue paper, and looking at it with a reading glass, we could see the flour in small white lumps. There is no room for wonder at the effect this took upon the patient, for the flour thickened the phlegm into a paste. On taking some. tolerably

[. 23 ]

tolerably good English Honey afterwards he recovered.

It is difficult fometimes to difcover the frauds that have been ufed in making up of Honey; but in general what is thin and transparent, from whatever place it comes, is the most likely to be pure; because all the common mixtures give it thickness and cloudines.

#### CHAP. VI.

### Of the Virtues of Honey against a Hoarseness.

A Hoarfenefs is another troublefome complaint, which does not amount to the name or nature of a difeafe, but yet is capable of making the perfon very uneafy, and is commonly a very lafting diforder ; partly becaufe it is not judged confiderable enough to need a phyfician, and partly

partly because the medicines usually given take no effect upon it. To be able do any fervice in this complaint, it is necessary to understand its nature. The feat of a hoarseness is the top of the windpipe or larynx, and the occafion of it is, a foreness of that part and a thickness of its natural moisture. This is always perceived by people who are hoarse; for in their endeavours to fpeak out, they find that part of the throat to be fore, and as it were, raw; and if at any time they can bring up a little phlegm it is as thick as jelly, and as tough as glue : and they always speak more freely after this, 'till more is gathered in the place. Honey is a natural and excellent remedy for this complaint : we have feen in the former chapter how great a power it has of foftening and diffolving a tough phlegm; and it is also an excellent balíamic. Reafon declares, therefore, that it is most happily fuited for curing

[ 25 ]

ing hoarfeness; and repeated experience confirms it.

PERSONS who are hoarfe always are worft in a morning. It is for the fame reafon that those oppressed with a tough phlegm find most uneasiness at that time. At night the humours collect themselves, and spread over the part undisturbed, and we feel their effect at rising. This directs the time which must be best for taking Honey for the cure of a hoarfeness, which is the last thing at night; but it should be repeated also early in the morning; and it may be taken occasionally at any time of the day.

In this complaint, the more people ftrive to fpeak out, the worfe they always make themfelves; confequently, without great caution, the diforder will naturally encreafe. Altho' night and morning are the times when the Honey is most effectual, in the general relief of the complaint, it will do fervice at any time of the day when wanted. Therefore if any one, who is fubject to a hoarfeness, is fensible that he shall have occasion- to speak a great deal, let him prepare for it, by taking a spoonful of Honey. This will make him speak with more ease to himself, more intelligibly to those who are to hear him, and prevent that straining which is so apt to encrease the diforder.

[ 26 ]

At any time when a perfon who is hoarfe is going into company, it will be advifeable to take fome of this pleafant remedy; and if in the courfe of converfation he finds his voice grow worfe, another fpoonful of it will give him that real relief, which he would in vain endeavour to obtain by violent efforts; to fpeak plainer, this would tend tend to encrease the disorder, the other to its cure.

[ 27 ]

SPEAKING with eafe and clearnefs muft be agreeable to all perfons; but there are fome to whom it is of the greateft importance. The clergyman who is to officiate in his duty; and the council who muft fpeak at the bar, may have occafion often for this affiftance, and there are others whofe employment, though it be frivolous in itfelf, yet is important in them, fince it gets them breath, fuch as players on the ftage, and fingers, who are often diftreffed in the higheft degree by hoarfenefs, which this eafy medicine will perfectly cure.

Befide the ufual dofe of Honey to be taken night and morning, all thefe perfons fhould take a little of it before they enter upon their bufinefs; and again about the middle of their feveral performances.

D

THE

THE Italian fingers, who are the moft delicate on this head, find that Honey alone is apt to clog the voice at firft, tho' it does good afterwards; therefore they fharpen it with a few drops of fpirit of vitriol. This is very proper for those doses of Honey which are taken in the day time, to prepare the perfon for speaking or finging immediately afterwards, but that which is taken at night and morning, will anfwer better alone.

[ 28 ]

THE fort of Honey that is beft for a hoarfenefs, is the true Narbonne kind; there is a natural fharpnefs in this, which no other has, and which qualifies it excellently for the purpofe. As to the quantity of fpirit of vitriol, that is to be determined by the tafte. It is a liquor not always of the fame ftrength, for the chymifts make it carlefsly, as many drops are to be ufed as will give the Honey an agreeable [ 29 ]

able tartnefs, and no more ; this little fecret is kept to themfelves by the opera people, but as it may be useful to others, 'tis fit all should know it.

IF Narbonne Honey cannot be got, any other of the pure and fine kinds will do; but the common thick Honey of the grocers muft be carefully avoided; for it will do the fame mifchief in this cafe as in that of a tough morning phlegm, and will in the end encreafe the diforder, by the violent efforts it will make neceffary to being heard at all.

### CHAP. VII.

Of the Virtues of Honey against. Coughs,

THE uncertainty of our climate makes us very liable to colds; and one of the common effects of them is a cough. We flight this, becaufe it is common : but if people in gene-D 2 ral ral knew the danger, they would be alarmed in time, and prevent a great deal of mifchief. In young people, coughs are often the first step toward confumptions; and in those more advanced in life, tho' there is not this dangerous confequence, there is the very troublesome one of their becoming habitual.

THE way in which our taking cold brings on a cough is this : Perfpiration is in a great meafure retarded by the obftruction of the pores, and the abundant humour which should have gone off this way, falls upon the throat and lungs, where by its quantity and sharpness it creates a continual uneasiness; and, the lungs endeavouring to throw it off, a cough is the natural effort.

HONEY is excellently calculated for relief in this complaint, for by its fweetnefs fweetnefs and balfamic quality, it takes the fharpnefs of the humours off; and it leffens the quantity alfo confiderably, by what it carries off by urine.

[ 31 ]

IF a cough fhould be taken care of juft at its coming on, Honey alone will ufually cure it : but we are very apt to neglect it at that period; and having gathered ftrength by time, fome farther affiftance may be neceffary : but even in this cafe Honey is not to be flighted, for it will always do the good we expect in fome degree; and whatever be required befide, this is the beft of all medicines for conftant ufe.

In the cafe of a cold newly caught a fpoonful of Honey is to be taken, not only night and morning, but at any time when it comes on violently. This alone will often cure it in two days.

 $D_3$ 

[ 32 ]

IF the cough encrease while this is doing, 'tis a proof there is fome flight degree of fever with it; and that must be conquered before the Honey can take effect. Medicines are not needed for this purpose, abstinence and exercife will be fure to answer the end, with the help of this excellent balfam. Such a cold may be starved out at any time, if a 'perfon be in all other refpects in health; and the cough which attends it, will at the fame time be cured by the Honey. Eat no meat, nor drink any strong liquor for two or three days; take the Honey at leaft twice a day, befide the night and morning dose, and walk or ride out in the warm part of the day. Take great care not to catch fresh cold, and three days will compleat the cure.

HONEY has equal virtue against a cough of longstanding; only it must be taken also for a long time. Disorders which

### [ 33 ]

which have come on flowly and eftablished themselves in the constitution, will require time alfo to gooff, even with the best care. No perfor need to fuffer a cough to fix itself on him, if he will have recourse to this medicine in time ; but if by neglect or ignorance of remedies it is become habitual, a constant use of Honey four times a day, with riding every fair day two or three hours, a temperate diet, and once in a week a very gentle purge will compleat the cure. There is reason to be conftant in this course, especially for young perfons, becaufe fuch a cough, if neglected, often ends in a confumption. If Honey were of no other use, it would be ineftimable even for this. We see physicians often at a ftand what to do with obstinate coughs, and all their medicines prove ineffectual; whereas there is no cafe of this kind in which Honey is not a certain cure. The fooner the diforder

iS

is taken, the easier is the cure; but there is no period wherein with due regard to temperance and exercife, it. will not anfwer the purpofe.

·9

THE best kind of Honey for this use is the English, for there is none for pure, and confequently none fo mild and balfamic: the sharpness and aromatic warmth of Narbonne Honey will fometimes make a perfon cough at the time of taking; it would neverthelefs cure the diforder; but our own does it better. The pure fpring Honey is particularly excellent in this cafe; and I have always found that the newer it is, the better it takes effect. In general Ho. ney should never be used as a medicine after it is one year old; that which is taken from the comb in May, fhould be used till the May following, and then what is left of it should be put to other fervices, and fresh taken for the fucceeding year.

СНАР.

### Ľ 35 ]

#### CHAP. VIII.

### Of the Virtues of Honey in curing an Afthma.

HE patient must understand his disease before he chuses his medicine : there are two diffinct kinds of the Afthma; for one of which good Honey is a certain cure, tho' for the other it can do nothing. The kind which Honey cures is the Afthma properly fo called, and is one of the diforders of the lungs, for all which Honey is excellent : the other kind is the convultive Afthma, and is altogether a different diftemper; it is really a nervous complaint; and has only been called an Afthma, because the fymptoms, particularly the difficulty of breathing, in some degree resemble an Afthma. This is a lefs common diforder : the real Afthma is very frequent,

quent, and no difeafe is more troublefome to the patient.

[ 36 ]

HONEY is a certain remedy, provided it be taken conftantly, a good kind chofen, and fome care taken in the common courfe of life. This is worthy a careful regard on two accounts; not only as the cure for a very painfuldifeafe, but as it prevents the neceffity of bleeding, which is the commonpractice, and which, tho' it give a prefent relief in this difeafe, often brings on worfe.

THE Afthma is ufually a difeafe of elderly people: and those who are fubject to it have frequent returns; for all the methods in common use are calculated only for relief in the present fit, not for a lasting cure. 'Tis fit the old man know his case and danger: especially as this fure remedy is at hand; and as his life depends upon upon avoiding the other. In the extremity of a fit, the furgeon is called in to bleed a perfon; and this flattering practice is univerfal, becaufe it gives immediate relief; but fits return often, and if bleeding is fo frequently repeated, the conftitution is deftroyed.

WE need not tell the patient what an afthma is; no difeafe fhews itfelf fo diftinctly. When a man is fubject to be taken at times with a wheezing, difficulty of breath, and tightnefs of the breaft, he need not be told that he is afthmatick, but it will be a great comfort to him, to know of fo eafy and pleafant a remedy as honey.

Some perfons are continually afthmatic; and others have the diforder at times only, in a kind of fits; this fafe and pleafant remedy will cure both, only according to the nature of the

# [ 38 ]

the diforder, it must be taken in a different manner. In both cases the difficulty of breathing goes off when the perfon has spit up a tough phlegm, and this will always be promoted by the use of Honey, one of the most immediate and certain effects of which is, making a perfon cough loose and spit easy what soever matter it be that oppreffes the lungs.

THOSE who have a continual afthma fhould always take Honey night and morning; and every thing fhould be fweetened with it, wherein others ufe fugar. If care be taken to get good Honey this will be to the full as agreeable as fugar; and by the ufe of this alone, the complaint will gradually wear off.

WITH regard to the course of life, great care must be taken to chuse a proper air. Experience will soon shew every every perfon what air is best, and no certain rule can be given. Where he breathes eafiest let him principally refide. He must lie with his head high, and not be too much covered with cloaths. He must avoid any posture of stooping or leaning forward; write upon a high desk, and read fitting upright; and he must always use some exercise; but never too much, or too violent. These cautions, with a temperate diet, early rifing and light fuppers, will take off all occasions of an encrease of the disease; and the constant use of the Honey will conquer what is established in the constitution.

For those who have an afthma coming on at times, and in regular fits, the Honey will be as useful, but the nature of the disease requires a different method of taking it.

THE fits of this kind of afthma ufually are about three in a month; they are more violent and last longer in fummer than in winter; and the more irregularly the perfon lives, always the worfe they are. In all thefe cafes the fooner the perfon begins to ipit the flighter and the easier will be that fit. Therefore Honey should be conftantly taken to promote a natural tendency to this; and the approaches of the fit should be watched carefully, that it may be got down in larger doses as that comes on. If the perfon feels a tightness about the mouth of the ftomach two hours after dinner, this is a first fign of its coming on, and he should immediately take a large spoonful of Honey : he should sit still, but upright; and in half an hour take a spoonful more. If the stomach feels fwelled and the perfon belches frequently, it is a continued fign of the fit gaining strength, and a straightness of

[ 47 ]

of the breaft and lungs will foon follow. Once in two hours half a fpoonful of Honey is to be taken; for three times more. Then the perfon fhould go to bed; and lie with his head high. Generally an hour or two after midnight the fit comes on with violence. He fhould then get up and continually be fucking down a little Honey. The heat of the bed as well as the pofture of lying encreafe the complaint; therefore getting up is doubly ufeful; and the continual taking of Honey will promote that fpitting which always carries off the fit.

IF the Honey does not take effect, the fit will continue two, three, or four days; the difficulty of breathing all the time continuing; and at the end of that time the perfon will fpit up a foul matter, and grow well. In this cafe, the ufe of Honey muft be continued; feveral times a day taking  $E_2$  a lita little : the perfon fhould eat no meat, nor drink any ftrong liquor, and by the ufe of Honey it will thus go off.

[ 42 ]

IF an afthma be taken in time, thefe long fits will be entirely prevented by the Honey : if it be first used when the difease is established in the constitution, it will by degrees produce the effect; shortening the fits, and gradually preventing them entirely.

WHERE the Honey alone is flow in giving relief in an afthma, an addition of great advantage may be made by the common Englifh plant Eryfimum. This is frequent under every hedge, with a long fpike of pods fluck clofe to the flak, and three or four little flowers at the top. The leaves of this beat in a mortar and mixed with an equal quantity of Honey, make a thin conferve, which I have never feen fail. The antients were fond of this herb; and and that great good man, Sir Hans Sloane, tried to bring it into use again in our time, but in vain : chymical medicines have got possession of the practice, and every thing else is neglected.

THE best Honey for asthmatic people is the Italian, but any clean and pure kind will do.

#### CHAP. IX.

### Of the Virtues of Honey, in the Cure of Consumptions.

THE great and only hope for the cure of a confumption lies in taking it in time; and with that advantage Honey, affifted by a proper courfe of life, will cure it entirely. Young people, who will take early care of coughs by Honey, will efcape confumptions often, without knowing they were in danger; and the great E 3 hope

### [ 44 ]

hope afterwards lies in a conftant use of the fame medicine.

A confumption naturally begins by a cold taken in the winter, which brings on at first a common cough; and that being neglected fettles itfelf upon the lungs, which by degrees become more and more obstructed, then enflamed, and afterwards ulcerated: a flow fever attends thefe last stages of the diforder, and relief then comes too late. Thin and weakly young men are most in danger of confumptions, and thefe principally from feventeen to three and twenty. Therefore let fuch perfons, and efpecially at fuch time of life, avoid colds as much as possible, and take Honey upon the first appearance of a cough.

IF the cough does not abate in two or three days, the perfon fhould be let blood; and from that time he must awoid

avoid most carefully all high seasoned foods and strong liquors : he must ride two or three hours every day; and take a spoonful of Honey night and morning, and half a spoonful at leaft twice in the day befide. It rarely happens that the body becomes coffive in a course of Honey, but if it does, gentle purges must be taken at times, and the Honey continued. This gentle purging is confined to the first stages of the difease; for toward the end the patient will be too weak for it. If the bad fymptoms encrease in spite of Honey, temperance and exercife, iffues will be needful, and very little flesh should be eaten.

WITH these cautions, Honey, without rashness, will be considered as a cure for confumptions : and it is very fingular that physicians, who have shocked the constitutions of their patients with opium and mercury, never have have thought of this happy and innocent medicine, whofe virtues as an aperient, detergent and balfamic they have always acknowledged, tho' they never thought of employing it where fuch virtues were fo greatly wanted.

#### СНАР. Х.

### Of the Virtues of Honey in the Cure of the Gravel and Stone.

F the reader wonders at those great virtues of Honey, we have mentioned in the preceding chapters, he will be more furprized at what we have to fay in this; yet is the whole perfect and certain truth : Honey will at all times cure the gravel, and as certainly prevent the ftone.

THE various degrees of this terrible complaint all arife from one caufe; which is a lodging of gravel or fand in the kidneys, or in the bladder; where

where it concretes into a number of fmall stones, or into one large one. The bad condition of the urine or the weaknefs of the parts may contribute to the lodgment of this gravel and to the concretion of it into ftones; and against these it will be proper to guard by exercise and temperance; but there is in Honey fo confiderable a diuretic and detergent quality, that if conftantly taken it will not fuffer the gravel to lodge, if none be already concreted, and if there be it will gradually and gently bring away the ftones if they are of a fize possible to be voided. . Et.

[ 47 ]

WHAT Honey will do in these cases is beyond all belief, except of those who have experienced and seen it. It is not of the nature of those violent medicines which produce a vast effort at once, and often, instead of relieving, miserably injure the patient; what this this powerful remedy effects muft be expected from a continuance of taking it, and from the flow and gradual, and therefore fafe effect it takes upon the parts. Stones have been voided after a courfe of Honey, of fuch a fize as has aftonifhed the perfon, fuch as could not have been conceived capable of coming away by those passing and this without any confiderable pain; and without the least hurt to the parts or danger of any kind.

[ 48 ]

IF all who feel the effects of the gravel and ftone, would take this innocent and pleafant medicine, we fhould hear little of thefe complaints : but this is not all that may reafonably be expected from a more general ufe of Honey. A great many people are afflicted with the gravel for years, before they are fenfible what is their diforder : they are tormented with cholics of the most terrible kind : numbnumbneffes of the limbs, vomitings, and the most miserable depression of the spirits accompany these complaints; and they are supposed to be nervous, or of some other kind as distant from their real nature : several of these persons during a regular course of Honey, have to their prodigious associations of red gravel, or numbers of little stores; and from that moment found themfelves freed from all their other complaints.

[ 49 ]

For thefe, gravelly cafes, whether they be plainly known or but fufpected, there need not be any thing of the nature of a medicine in the taking of the Honey. It will anfwer the purpofe perfectly well alone : it will need no mixtures, and the beft way of taking it, is every night and morning a large fpoonful. The Swifs Honey is the most excellent for this pur-

[ 50 ] purpose; but the English spring kind when it is perfectly good is fcarce at all inferior to it. Indeed the English Honey when excellent in its kind, has fo many advantages that there would be no difficulty, by a proper management, to give it all the others and raise it to an equality at least, with that of any country in the world. Having in some degree done justice to the value of Honey by this detail of its virtues, it may not be foreign to the purpose to confider in the remaining pages, which are the circumftances to which Honey owes its excellence, and how to obtain them in favour of that of our own country.

CHAP.

## [ 51 ]

### CHAP. XI.

# Of the Circumstances which tend to make Honey fine.

A S Honey is produced in the flowers of plants, and the Bees do no more than collect it, not making the leaft alteration in its nature or qualities; 'tis evident that in any place, fuch as the flowers are, fuch will be the Honey. We have feen that the generality of plants afford it pure and unaltered; but there are fome which give it a certain tincture of their qualities, improving or debafing it.

THE Bees in general are fo delicate that they do not meddle with those flowers in which the Honey juice is unpleafant; but 'tiscertain they fometimes will collect fuch as is unwholefome. On the other hand they are fond of aromatic fweets, and they  $\mathbf{F}$  no no where collect fo much Honey as in places where thefe are frequent. It is the quality of thefe aromatic plants to give fome tincture of their virtues to the Honey juice lodged in their flowers, and this remains with it when human induftry has taken it carefully from the comb. Upon thefe plain principles we may understand all the differences of Honey; and by obferving the causes of its excellencies and defects we may be enabled to procure it with all the former, and without the latter.

[ 52 ]

THE Bees when left to their own wild way of living never fix themfelves but in places where there are herbs they like : but if human authority places them where there are only bad kinds, the creatures muft collect their little flores as well as they can from them. The Honey therefore will be better or worfe, not only according cording to the country where it is produced, but as the particular fpot of it where the fwarm was placed, happens to be productive of plants of a better or worfe nature.

ALL ages have been fenfible of this truth, and the accurate antients have gone fo far as to name certain plants which gave the value to the Honey of particular places.

THE first in estimation among the Greeks was that of Mount Hymettus; and 'tis not difficult to see the cause of its excellence: the lower part of that mountain is at this time, in a manner, covered with a small species of wild lavender very sweet and aromatic, and the Bees are fond of the flowers of it now, and doubtless were so in those early times. We know there are plants whose fragrance is preferved in the Honey collected from their  $F_2$  flowers,

# [ 54 ]

flowers, and in some degree their vir. tues: the aromatic are peculiar for this, and among the aromatics lavender. We learn from the antient accounts that the famous Honey of Hymettus was taken from the combs at that feafon of the year, when the lavender has a little while done flowering; and therefore we may conclude fafely that the flowers of this plant principally fupplied the Honey, and gave it this fine quality. This fmall kind of lavender is not peculiar to that part of the world: it is common in Italy, where they call it Spigo, and in some parts of France, particularly in Languedoc; we have been accustomed to have from them, at a fmall price, an oil distilled from it, which from the Italian name was called Oil of Spike. From these circumstances confidered together, we may learn that we have the real Hymettian Honey at this

[ 55 ]

this time, though not from the fame place.

CORBIERE, a village in Languedoc, is feated on a high ground, and every wafte fpot of the fields about it is covered with this lavender. The inhabitants keep a vaft quantity of Bees, and they have but one feafon of the year for collecting the Honey, this is the beginning of August, when the lavender has done flowering; and this is what we receive from France under the name of Narbonne Honey: Narbonne being the nearest large town to Corbiere, and confequently the natural market.

THE Greeks fay their Hymettian Honey was white, thin, clear, and fragrant with a pleafant fharphefs in the tafte. The true Narbonne Honey of this time is exactly fuch, and the plant is the fame which occasions these excellencies.

F 3

EVEN

Even in England I have once feen a Honey produced which had nearly these characters. It was on this occafion. In the fummer of the year 1754, I lodged at a houfe on Windfor-Hill, on the edge of the Battersea Fields, where they cultivate the common lavender for the markets, the master of the house kept Bees. He took the Honey of three hives while I was there, and it happened foon after the lavender feason : the Honey which ran free from the comb was fragrant, acrid, and in all refpects anfwered the character of the old Hymettian or the modern Narbonne Honey except in colour. It had fome yellownefs, but otherwise they could not be diffinguished. Of the virtues of this I can speak with great certainty, having never found any either English or foreign that was equal to it in the gravel. It feemed to have received the finest part of the effential oil of the lavender and to

[ 56 ]

to act upon the principle of the juniper and turpentine oils, which we give on this occasion; but mild, from the balfamic quality of the Honey.

THE fecond Honey in estimation among the antients was that of Hybla, this they obtained from the Cyclades and Sicily, and the peculiar character of it was pure and perfect. fweetnefs: We find it had a fingular fragrance, not acute and piercing as the Hymettian, but foft and delicate. The Italian Honey of this time anfwers to these characters exactly; and from the fame caufe. There is throughout all that part of Europe, an abundance of wild thyme, a fweet and fragrant herb, the foftest of all the aromatics. The gentle fragrance we perceive in the modern Italian Honey, and which the modern antique Romans efteemed fo much in the famed Hyblæan, is the pure scent of this

this little weed, and this we have alfo wild in England. The attention I have now for many years paid to this excellent medicine led me to try whether we might not have a Honey of this kind in England; and the event fhews we may.

THE antients name a difference in their Hymettian Honey, of which they distinguished two kinds, not alone from their qualities, but from the place. The Cyclades afforded the very finest; that of Sicily was of equal fweetnefs, but more highly aromatic. The flavour they defcribe is found in our Swifs Honey, and a tafte accuftomed to the feveral aromatic plants, eafily perceives this to be the flavour of Origanum. This plant is common to the warmer and the colder Europe, and is equally abundant in Sardinia, in Swifferland, and in Britain: 'tis what we call wild marjorum, a plant

plant more fragrant than all the kinds we nurfe in gardens. I have not had an opportunity of tafting Honey, where this plant is common; but probably it will anfwer as the others; for the plant grows to full perfection with us, and Bees are fond of it.

As these plants give a peculiar excellence to Honey, there are others which debafe, or alter its nature. 'Tis faid that in some parts of Pontus, there is a poisonous Honey. The antients fpeak of this, they call it the Heracleotick Honey; and the prefent inhabitants of that region talk of a Honey of that quality, though it is certain that very good and wholefome Honey also is produced there. We read also of bitter Honey of Sardinia; where so excellent a kind is now produced, from the Bees taking it from wormwood: but whether either of these accounts be true, is hard to fay, thou

though there is a ftrong tradition in their favour. This, however, we know by frequent obfervation in England, that the flowers of Heath, make Honey reddifh; and in Picardy they have a red Honey from the fame herb which purges. This quality I have not found in the Heath Honey of England, though it has the Picard colour.

As to the fine Honeys of the antients, and those of the fame character at present, 'tis evident they are the the fame; the Hymettian and Narbonne Honey are one thing; the pure Italian is the true Hyblæan; the Swifs is the Sardinian : and all these we may have at home, if we will take the easy care of raising the Bees where there are plantations of these herbs, to which they owe their qualities; or of raising the plants, which is very easy, where our Bees are kept.

THIS

# [ 61 ]

THIS is in our power, and may be done without expence in two of those inftances; and in a manner that will very well repay the expence in the other. The wild Thyme and Origanum require no valuable land, nor culture; they will grow on any waste fpot of dry ground, where their feeds are scattered : as to the lavender it requires culture, but it will also pay for it. The price is certain at the market; nor is it a fmall one. The Bees attack the opening flowers; and often open them from the bud for their own fervice : 'tis in the state of full flower the plant is expected in the markets; therefore when it had ferved the Bees, it would be ready for the other use; and the advantage would be double.

#### CHAP.

### [ 62 ]

#### CHAP. XII.

Of the Quantity of Honey that might be made in England.

ESIDE the excellence which may be thus given by good management to the English Honey, there is another confideration of great importance in relation to it, which is the quantity annually loft, by neglect among us. Every flower yields Honey, and every spot of ground throughout the kingdom produces these: though 'tis in fo few places that we raise the industrious infects that would amass it for our service. Farmers know the profit of Bees is very confiderable, and the care required about them is almost nothing. With good management their increase is prodigious; and 'tis not too much to fay, that if a due attention was paid to this article, a few years would stock the

the whole kingdom. Wherever Bees are not kept, nature has given Honey in the flower in vain; it perifhes unufed, and this is plainly through the whole kingdoms, except a few fmall fpots.

Beside the medicinal uses of Honey it might in many things fupply the place of fugar : the demand for it is confiderable at prefent ; and would be greater when it was more regularly produced, and better. We import a great deal, and it is fold at a confiderable price, while there is prodigious waste at home by our neglect. Indeed the price, the excellence, and the poffible quantity, all plead for its becoming a more general concern : the farmers would be enriched by a general propagation of Bees, and the advantage would be every way confiderable.

G

CHAP.

# [ 64 ]

#### CHAP. XIII.

Of the Preparation of Honey.

WITH all these advantages, it is not to be denied that there are fome perfons with whom Honey difagrees. The physicians have been fensible of the occasion, and have endeavoured to prevent it by purifying the Honey by common clarification.

COMMON Honey being preffed with ftrength from the combs, after they have been heated, has always fome of the wax with it : 'tis this which renders it foul and opake; and 'tis this which makes it difagree with fome perfons : for wax cannot be diffolved in the body : and though it will pafs without trouble in ftrong conftitutions, it often lodges by the way, and torments those who are of a more delicate licate habit, particularly fuch as are fubject to hysteric and hypochondriac complaints. To prevent this the preparation of Honey by clarifying it has been invented; and it is highly rational. Wax being lighter than Honey will rife to the furface, when it is difengaged from the Honey by melting : and this being taken off, the Honey will be more pure. It is done thus : set a pot of water upon a clear fire, put a quantity of Honey into an earthen pan, and fet that in the water within two inches of the rim. As the water heats. the Honey will melt, and a fcum will rife to the top, which is. wax: this must be taken off 'till no more comes up.

HONEY is thus brought nearer a pure flate than it was, but it is not equal to fuch as runs freely from the comb, without heat or force. Thi clarified Honey will agree with many G 2 who

# [ 66 ]

who cannot bear 'the common kind; and pure Honey will agree with those who cannot bear this.

IF there be any perfon whom the fineft Honey difagrees with, as I have feen one or two, whofe conftitution feemed to have a natural antipathy to it, I have always found that the mixing with the Honey a very fmall quantity of powder of cinnamon prevented this entirely.

#### СНАР.

## [ 67 ]

#### CHAP. XIV.

Of Syrup of Capillaire.

THE Capillaire fo celebrated for coughs and diforders of the breast, derives its virtue, in a manner, entirely from the Honey. Many idle receipts have been published for the making it, but the Italian kind, which is the finest of all, is no more thanthis. Pick from the stalks four ounces of fresh leaves of the true maidenhair, while they are young, and without feeds. Pour upon thefe a quart of boiling water; let it stand eighteen. hours; then filter it through paper add to this four pounds of pure Honey. Boil this a few minutes, and then strain it through flannel. The maiden-hair, has very little share in the virtues of the Capillaire; they are the natural virtues of Honey and no other; when it is pure and fine, it needs no addition.

G3

CHAP.

### [ 68 ]

#### CHAP. XV.

#### Of the Aristan Confection.

IT may not be foreign to the pur-pose of this treatise to add in the few remaining pages the receipt for a composition of great excellence, known at this time only by name, in which Honey is a very material ingredient, though not the principal : this is the Silphian confection, invented by Aristæus, a king of Sardinia in the remotest antiquity, and therefore called after his name. We find by Diofcorides that the Greeks, who were excellent in pharmacy, confidered Honey as the first of all diffolvents for vegetable fubstances : 'tis with this intent that author directs, that in the making of oil of rofes, the rofe buds thould be worked in the oil with hands dipt in Honey ; 'twas thus they confidered it as a folvent of myrrh; and long

long before this it was that, upon the same principle, Aristæus used it as the proper diffolvent and corrector of that excellent but ill-scented medicine Afsafætida. He found Honey capable of diffolving that gum, and mixing it with ingredients which would abate its ill scent and affist its efficacy; and on this principle he invented the confection, for which he has been celebrated more than Mithridates. We find the name of it in that old Greek. quoted by the scholiast of Aristophanes; and in all the writers on these subjects to the present time. 'Tis with difficulty we trace the compositions of so early an antiquity, but the receipt of the Aristan confect feems to have been fuch as this. Slice very thin four scruples of Assafcetida, grind it in a marble mortar, with four ounces of fine Honey. Put this into a pan, and set that in a vessel of water : put the whole over a gentle fire. And

let

let it remain, frequently ftirring it, till the Affafætida is perfectly diffolved, then ftrain it through a coarfe linencloth. Then mix in a mortar one drachm of cinnamon in fine powder, two fcruples of powder of ginger, one fcruple of amomum cleared from the hufks and rubbed alfo to fine powder, with the affiftance of a quarter of an ounce of the fineft fugar; when alls are perfectly mixed add them to the reft while it is yet warm, and mixthem perfectly by long ftirring. Then. keep it carefully tied up for ufe.

A tea fpoonful of this is a dofe : and to those who can bear the taste of Affascetida, it is a most admirable medicine. The flavour of that drug is not to be conquered, though 'tis vastly fostened by these ingredients; but what the great inventor meant principally, was the diffolving its subftance, so as to make it readily and cercertainly take effect; and this it fo happily anfwers, that although the dofe here directed contains but two or three grains of the Affafœtida, it is equal to ten in the effect, and relieves immediately.

[ 71 ]

Its peculiar virtue is in curing that flatulent cholic, to which hypochondriac people are peculiarly fubject; but it is not limitted to this alone. Wherever Affafœtida is ufeful, this is the beft way of giving it; and befides the common excellence of that medicine againft headachs, convultions, and all the train of hyfteric complaints, this is alfo a fovereign remedy in Afthmas, when Honey alone fails.

The balfamic and the fugary part of Honey are quite diffinct, and may be advantageoufly feparated by well rectified fpirit of wine, which will diffolve the balfam and take no effect upon the groffer part.

THUSA

Thus, if a large bottle be filled with Honey and rectified fpirit, and, after well shaking, be fet up to the neck in a bark bed of a gardener's stove, and left there ten days, the Honey will seem to be diffolved, for there will be no fediment, but the the liquor will be foul.

[ 72 ]

WHEN it has flood four and twenty hours in a cool place the coarfer part of the Honey will fettle to the bottom, and the fpirit will be clear at top; this, being poured clear off, is. fragrant and balfamic in a high degree, and becomes a perfect diffolvent of all the concrete vegetable juices, the Honey giving the spirit a very great diffolving power upon these subftances. This was a use the Greeks made of it; and it was for this reafon they added it to many of their compositions, from which those, who were not aware of this quality in Honey, have fince excluded it.

CHAP.

### 73 ]

#### CHAP. XVI.

Receipt for making the Extract, commonly called the Balsam of Honey.

DUT one gallon of the best rec-L tified spirits of wine into a two gallon stone bottle, and put therein half a pound of balfam of Tolu cleared of the shell, one ounce of gum Benjamin, half an ounce of gum Olibanum; stop the bottle up close and put it in a gentle heat for feven or ten days : taking care to shake the bottle well twice a day. Then take two pounds of the best English Honey, and placing it before a gentle fire until it is all difolved, pour it (without taking off the fcum) into the fpirits, &c. and, shaking it well immediately, stop it up again, and afterwards shaking it twice a day you will in ten days or a fortnight have a most excellent Balfam.

The

## [ 74 ]

## The Manner of using it.

HAVE a funnel ready, in which put filtering paper doubled in fuch a manner that the groffer parts shall not pass through. Pour the liquor through into a bottle or any other receiver, and the liquor will be quite transparent. Use of this medicine a tea spoonful twice or thrice a day in a glass of water.

sent since a

FINIS.

Her at soot a attitude

THE WEIGHT THE THE

the shift I to got the state of the state

The second state of the se

\* n 1 70

S HILLY ST & T

the set a first of the state

APPER IN DA.

all and a set